AS1100-AS1109 Series With cord rewind

Upright vacuum cleaner; household type.

Owner's Guide

Thank you for purchasing your new Eureka vacuum!

Important instructions

For easy assembly, please take a few moments to read this owner's guide.

If you have questions about your new vacuum, please contact our customer service helpline at **1-800-282-2886**. We're here to help!

8 a.m. to 7:30 p.m. (CST), Monday - Friday 10 a.m. to 6:30 p.m. (CST), Saturday - Sunday

Promotional code: airspeed2011

Special Offer – receive 15% off parts and accessories when ordering online. Promotion excludes vacuums and maintenance packs.

Guía del Propietario

¡Gracias por la compra de su nueva aspiradora Eureka!

Si tiene alguna pregunta sobre su nueva aspiradora, por favor contacte a nuestra línea de ayuda de atención al cliente llamando al **1-800-282-2886**. ¡Estamos aquí para ayudarle!

8 a.m. a 7:30 p.m. (CST), de lunes a viernes 10 a.m. a 6:30 p.m. (CST), sábado y domingo

Código de promoción: airspeed2011

Oferta especial – reciba un 15% de descuento en piezas y accesorios cuando haga su pedido en línea. Esta promoción no incluye aspiradoras ni paquetes de mantenimiento.

Le Guide du Propriétaire

Merci d'avoir acheté votre nouvel aspirateur Eureka!

Si vous avez des questions au sujet de votre nouvel aspirateur, veuillez contacter notre Ligne d'aide du Service à la clientèle au 1-800-282-2886. Nous sommes là pour vous aider!

8 h à 19 h 30 (CST), lundi au vendredi 10 h à 18 h 30 (CST), samedi et dimanche

Code de promotion : airspeed2011

Offre spéciale – recevez 15% de réduction sur les pièces et les accessoires lorsque vous commandez en ligne. La promotion exclut les aspirateurs et les trousses d'entretien.

www.eureka.com

© 2012 Electrolux Home Care Products, Inc. Printed in China PN84930 rev1





Where to find important vacuum information

Keep this information

Write the model, type and serial number here: Date of purchase (keep your receipt) _____ Model number and type Serial number Find these numbers on a label on the middle back side of the vacuum cleaner. Refer to these numbers when ordering parts and accessories or if service is needed.



Before you start your vacuum cleaner

Refer to Quick Start Guide for assembly and use. This Owner's Guide provides important instructions to prolong the life of your Eureka vacuum cleaner.

Registration: To register your product visit www.eureka.com and click on the 'Register Your Product' link in the top right corner.

Inspection: Carefully unpack and inspect your new Eureka vacuum cleaner for shipping damage. Each unit is tested and thoroughly inspected before shipping. For instructions regarding any shipping damage, call Eureka Customer Service HELPLINE 1-800-282-2886 immediately.

Table of contents

Dust cup, filter, screen and exhaust/HEPA filter. Automatic cord rewind, brush roll lever, wand, crevice tool, dusting brush, turbo nozzle and stair hose. How to maintain your vacuum cleaner4

How to clear a blockage and maintain brush roll.

Eureka limited warranty information5

French owner's guide14-20

Follow caution information wherever you see this symbol.

IMPORTANT SAFEGUARDS

When using an electrical appliance, basic precautions should always be followed, including the following:

READ ALL INSTRUCTIONS BEFORE USING THIS VACUUM CLEANER WARNING

To reduce the risk of fire, electric shock, or injury:

- Do not use outdoors or on wet surfaces.
 - Do not leave vacuum cleaner when plugged in. Turn off the switch and unplug the electrical cord when not in use and before servicing.
 - Do not allow to be used as a toy. Close attention is necessary when used by or near children.
 - Use only as described in this manual. Use only manufacturer's recommended attachments.
 - Do not use with damaged cord or plug. If vacuum cleaner is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, return it to a service center before using.
 - Do not pull or carry by cord. Do not use cord as a handle. Do not close a door on cord or pull cord around sharp edges or corners. Do not run vacuum cleaner over cord. Keep cord away from heated surfaces.
 - Do not use extension cords or outlets with inadequate current carrying capacity.
 - Turn off all controls before unplugging.
 - Do not unplug by pulling on cord. To unplug, grasp the plug, not the cord.
 - Hold plug when rewinding into cord reel. Do not allow plug to whip when rewinding.
 - Do not handle plug or vacuum cleaner with wet hands.
 - Do not put any object into openings. Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce airflow.
 - This vacuum cleaner creates suction and contains a revolving brush roll. Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts.
 - Do not place vacuum cleaner on furniture or stairs as the brush roll may cause damage. Use extra
 care when cleaning stairs. Place vacuum cleaner on floor with the handle in storage
 position while using attachments.
 - Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
 - Do not use without dust cup, filter and screen, and HEPA exhaust filter in place.
 - Belt pulleys can become hot during normal use. To prevent burns, avoid touching the belt pulley when servicing the drive belt.
 - Do not use to pick up flammable or combustible liquids such as gasoline, or use in areas where they may be present.
 - Store your vacuum cleaner indoors in a cool, dry area.
 - Keep your work area well lighted.
 - Unplug electrical appliances before vacuuming them.
 - Unplug before connecting turbo nozzle.

SAVE THESE INSTRUCTIONS


To reduce the risk of electric shock, this appliance has a polarized plug (one blade is wider than the other). This plug will fit in a polarized outlet only one way. If the plug does not fit fully into the outlet, reverse the plug. If it still does not fit, contact a qualified electrician to install the proper outlet. Do not change the plug in any way.



Motor

Do Not Oil the motor or the brush roll at any time. The bearings are permanently lubricated and sealed.


How to identify parts of vacuum cleaner



Maintenance schedule

Maintenance Schedule is also located on back side of dust cup.


READ ALL INSTRUCTIONS BEFORE USING THIS VACUUM CLEANER. Moving parts! Power switch is marked \oplus for On/Off.



How to use accessories

Before using accessories

- Pull out cord to desired length. Do not pull past red line (Fig.1). Push cord into cord clip.
- Move brush roll lever to off position and put vacuum in an upright position (Fig. 2).
- Turn air path selector knob to 'tools' (Fig. 3).
- When finished vacuuming, press switch to retract cord (Fig. 4).



2-Position wand

(wand 2 on some models or available for purchase)
Loosen wand and hose from vacuum.

- Push tool onto end of wand (Fig. 5).
- Short wand: Push hose release button to remove wand 1. Attach tool to end of hose.
- Longer wand: Slide off wand 2 and turn over, then push opposite end onto wand 1.



Dusting brush

Use for furniture, drapes and vents.



Crevice tool

Use for baseboards, corners and tight spaces.



Turbo nozzle

(on some models or available for purchase)
Use for furniture and stairs.



Stair hose

(on some models or available for purchase)



Make sure vacuum is below you, pushed against the bottom step.


- Attach stair hose to end of hose or wand.
- Attach turbo nozzle to end of stair hose.





NOTE: Hose length can be increased by releasing the hose from the hose retainer on back of unit. Reposition hose inside hose retainer after using accessories.


A CAUTION


When using tools, always place handle in upright position and move brush roll lever to off position.





















How to clear a blockage


Make sure vacuum is turned off and power cord is unplugged.

Hose blockage

- Remove hose from hose retainer. Flex the hose to loosen any blockage (Fig.1).
- Remove dust cup. Set air path knob to 'floors.' Use finger to check for debris (Fig 2).
- Base hose Pull down to loosen end of base hose.
 Use finger to clear blockage.
 Snap hose end back up into position (Fig 3).
- Hose connector Pull out on left side tab to remove connector. Remove debris. Align tab at right and snap connector back into place (Fig. 4).









How to maintain your vacuum cleaner

Make sure vacuum cleaner is turned off and power cord is unplugged.

Maintain brush roll




Motor pulley can become hot with normal use.


How to clean brush roll


Check brush roll periodically and remove debris. Use scissors to clip threads or hair (Fig. 1).


How to replace brush roll


- Lay vacuum with back on floor. Remove 3 screws (Fig. 2). Rotate brush roll plate up and lift off.
- Rotate brush roll to remove (Fig. 3).
- To install brush roll, align star end first (Fig. 4), then position opposite end. Rotate to make sure brush roll fits securely.
- Replace brush roll plate: Align rounded ends in slots and rotate plate down over brush roll.
- Press plate tightly, making sure 4 hooks latch around rod (Fig. 5).
- Replace 3 screws (Fig. 6).

















Check type S belt. Replace if worn, cut or out of shape


Allow unit to cool completely before servicing.


- Remove 4 screws from vacuum cover. Lift off cover (Fig. 1).
- Push up gray latch to release; lift up belt cover (Fig. 2).
- Remove old belt from wheel first, then from motor shaft (Fig. 3).
- Place new belt around motor shaft; pull to loop over top of wheel (Fig. 4).
- Rotate wheel and belt toward vacuum front to center belt on wheel (Fig. 5).
- Push firmly on belt cover until it clicks.
 Replace vacuum cover and 4 screws (Fig. 6).





To view our instructional video, please visit www.eureka.com
















How to maintain turbo nozzle (on some models)

- Turn nozzle onto back side. Remove 1 screw.
- Rotate lower part of cover down over brush and lift off cover.
- Clear blockage from brush roll area. Use scissors to clip threads or hair.
- Place cover back into position. Tighten screw.







The Eureka limited warranty

Eureka warrants this vacuum cleaner to be free from defects in material and workmanship for a term of three years for normal household use. Warranty is granted only to the original purchaser and members of immediate household.

This warranty is good for three years from the date of purchase only when the vacuum cleaner is used in the accordance with Eureka operating instructions.

This warranty does not cover

- Parts of the vacuum that require replacement under normal use such as disposable dust bags, filters, drive belts, light bulbs, brush roll, bristles, impellers and cleaning.
- Damages or malfunctions caused by negligence, abuse, and use not in accordance with the Owner's Guide
- Defects or damages caused by unauthorized service or the use of other than Genuine Eureka, ARM & HAMMER™ and Filtrete™ by 3M parts.

What Eureka will do

Eureka will, at its option, repair or replace a defective vacuum or vacuum part that is covered by this warranty. As a matter of warranty policy, Eureka will not refund the consumer's purchase price.

Obtaining warranty service

To obtain warranty service you must return the vacuum or vacuum part along with "proof of purchase" to any Eureka Authorized Warranty Station. For Eureka Authorized Warranty Station or Service Information, visit www.eureka.com, write or telephone toll free:

USA: 1-800-282-2886 Electrolux Home Care North America Service Division P.O. Box 3900 Mexico: (55) 5343-4384 Electrolux Home Care Canada: 1-800-282-2886 Electrolux Home Care North America Service Division 5855 Terry Fox Way Mississauga, Ontario L5V 3E4

Obtaining warranty service outside your community

You must pay the shipping charges to the Eureka Authorized Warranty Station. Return Shipping Charges will be paid by the Warranty Station. When returning parts for repair, please include the model, type and serial number located on the rating plate on the lower backside of the vacuum.

Further limitations and exclusions

Any warranty that may be implied in connection with your purchase or use of the vacuum, including any warranty of Merchantability or any warranty for Fitness For A Particular Purpose is limited to the duration of this warranty. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations may not apply to you. Your relief for the breach of this warranty is limited to the relief expressly provided above. In no event shall the manufacturer be liable for any consequential or incidental damages you may incur in connection with your purchase or use of the vacuum. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apoly to you.

This warranty gives you specific legal rights. You may also have other rights, which may vary by state.

The ARM & HAMMER name is a trademark of Church and Dwight Co., Inc. 3M and Filtrete are trademarks of 3M Company, used by Electrolux Home Care Products, Inc. under license.

Problem solving

riangle Make sure vacuum is turned off and power cord is unplugged.

ANOTICE: Thermal cut-off

This vacuum cleaner has a special thermostat that protects the vacuum in case of motor overheating. If the vacuum suddenly shuts off, proceed as follows:

- 1) Push the power switch to off and unplug the vacuum.
- 2) Check the vacuum for a possible source of overheating such as a full dust cup, blocked hose or clogged filter. If these conditions are found, fix them and wait at least 30 minutes before attempting to use the vacuum.
- 3) After the 30 minute period, plug the vacuum back in and turn on the switch. If the vacuum still does not work, call the Eureka customer service helpline.

Problem	Cause	Solution
Motor will not start.	Power plug	Push plug securely into outlet, try another outlet or check circuit breaker.
	Power switch	Step on power switch to turn vacuum on.
	Thermal cut-off	See detailed "thermal cut-off" instructions above.
Vacuum does not clean carpet or bare floor.	Dust cup and filter	Empty dust cup, clean and/or change filter. Clean or replace filters regularly to maintain suction. Page 2 If picking up fine dust, the dust cup may not look full, but a fine substance tends to reduce suction when it blocks air flow through the filter and screen. Refer to page 2 for filter maintenance. Make sure filter, screen and dust cup are installed properly.
	Air path selector	• Turn selector knob to 'floors.'
	Belt	Replace a worn, cut or out of shape belt. Page 5
	Hose	Remove clogs from the hose that restrict the airflow. Make sure hose is replaced into hose retainer. Page 4
	Brush roll lever	For carpet, be sure brush roll lever is tilted forward. Brush roll will not turn when vacuum is in upright position and lever is tilted to back. For bare floors, push back of lever down to turn off brush roll. Page 3
	Carpet height setting	Turn height adjustment knob to another position.
	Suction plates	Ensure suction plates are able to move freely.
No suction at the end of hose.	Dust cup and filter	Empty dust cup, clean and/or change filter. Clean or replace filters regularly to maintain suction. Page 2 If picking up fine dust, the dust cup may not look full, but a fine substance tends to reduce suction when it blocks air flow through the filter and screen. Refer to page 2 for filter maintenance. Make sure filter, screen and dust cup are installed properly.
	Air path selector	• Turn selector knob to 'tools.'
	Hose	Remove clogs from the hose that restrict the airflow. Make sure hose is replaced into hose retainer. Page 4
Turbo nozzle will not turn (on some models).	Rotating brush	Check turbo nozzle for debris. Page 5 If no suction at end of hose, turn selector knob to 'tools.'
Vacuum is hard to push.	Vacuum height setting	Adjust knob to a higher position.
	Belt	Replace a worn, cut or out of shape belt.
Burning smell; brush roll will not turn.	Belt	Check brush roll for debris. Page 4 Replace broken or out of shape belt. Page 5
Cord will not rewind fully.	Cord tangles	Pull out entire cord removing any kinks, and push button to rewind completely.