

Version 3.0	Revision Date 12/12/2017	Print Date 03/27/2022
SECTION 1. PRODUCT AND	COMPANY IDENTIFICATION	
Material name	: A00121 MST AMMONIA GLAS	S CLNR_12CS 20N19
Material number	: 0000000001001447	
Manufacturer or suppli	er's details	
Company	: Zep Inc.	
Address	: 350 Joe Frank Harris Parkway, Emerson, GA 30137	SE

Telephone : 404-352-1680

### Emergency telephone numbers

For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

### Recommended use of the chemical and restrictions on use

Recommended use : Cleaner

Note: This product is labeled as a consumer product in accordance with the United States Consumer Product Safety Commission regulations. The warnings presented below in this Safety Data Sheet (SDS) comply with the 2012 OSHA Hazard Communication Standard (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

## SECTION 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

**GHS** Classification

Appearance	Aerosol containing a liquefied gas		
Colour	clear		
Odour	mint-like		

Gases under pressure	: Liquefied gas
GHS label elements	
Hazard pictograms	
Signal word	: Warning
Hazard statements	: H280 Contains gas under pressure; may explode if heated.
Precautionary statements	: <b>Storage:</b> P410 + P403 Protect from sunlight. Store in a well-ventilated



Version 3.0

Revision Date 12/12/2017

Print Date 03/27/2022

place.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

Chemical name	CAS-No.	Concentration [%]	
butane	106-97-8	>= 1 - < 5	
ethanol	64-17-5	>= 1 - < 5	

The exact percentages of disclosed substances are withheld as trade secrets.

## **SECTION 4. FIRST AID MEASURES**

General advice	:	Do not leave the victim unattended. Move out of dangerous area. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Remove to fresh air immediately. Get medical attention immediately. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Get medical attention if irritation develops and persists. Wash contaminated clothing before re-use.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	Effects may be delayed, symptoms may include minor eye or skin irritation. Overexposure may cause mild eye or skin irritation.
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Carbon dioxide (CO2)
	Dry chemical
	Alcohol-resistant foam



Version 3.0	Revision Date 12/12/2017	Print Date 03/27/2022
	Water spray jet	
Unsuitable extinguishing media	: High volume water jet	
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that circumstances and the surroundi	
Further information	: Collect contaminated fire extingu- must not be discharged into drai Fire residues and contaminated be disposed of in accordance wir Use a water spray to cool fully c	ns. fire extinguishing water must th local regulations.
Special protective equipment for firefighters	: Wear self-contained breathing a necessary.	pparatus for firefighting if

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Refer to protective measures listed in sections 7 and 8. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	<ul> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> <li>Sweep up or vacuum up spillage and collect in suitable container for disposal.</li> </ul>

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling	<ul> <li>For personal protection see section 8.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Dispose of rinse water in accordance with local and national regulations.</li> <li>Do not breathe vapours or spray mist.</li> <li>Always replace cap after use.</li> <li>Take precautionary measures against static discharges.</li> </ul>
Conditions for safe storage	<ul> <li>BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.</li> <li>Keep in a dry, cool and well-ventilated place.</li> <li>Observe label precautions.</li> <li>Electrical installations / working materials must comply with the technological safety standards.</li> </ul>



Version 3.0

Revision Date 12/12/2017

Print Date 03/27/2022

Materials to avoid

: Oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL
		TWA	800 ppm 1,900 mg/m3	OSHA P0
		PEL	800 ppm 1,900 mg/m3	CAL PEL
ethanol	64-17-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		TWA	1,000 ppm 1,900 mg/m3	OSHA P0
		STEL	1,000 ppm	ACGIH
		PEL	1,000 ppm 1,900 mg/m3	CAL PEL

Engineering measures	: effective ventilation in all processing areas
----------------------	---

Personal protective equipment			
Respiratory protection	In case of insufficient ventilation, wear suitable respirator equipment.	У	
Hand protection			
Material	Protective gloves		
Remarks	The suitability for a specific workplace should be discuss with the producers of the protective gloves.	sed	
Eye protection	Access to clean water to rinse eyes must be available, o include: eye wash stations or showers, or eye wash bottl with pure water. Safety glasses	•	
Skin and body protection	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work pl	ace.	
Hygiene measures	Wash hands before breaks and at the end of workday.		



Version 3.0

Revision Date 12/12/2017

Print Date 03/27/2022

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied gas
Colour	: clear
Odour	: mint-like
Odour Threshold	: No data available
рН	: 10.5 - 11.5
Melting point/freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Evaporation rate	: > 1 n-Butyl Acetate = 1.0
Flammability (solid, gas)	: Not classified as a flammability hazard
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 4,136 hPa
Relative vapour density	: No data available
Density	: 0.990 g/cm3
Solubility(ies)	
Water solubility	: completely soluble
Partition coefficient: n- octanol/water	: No data available
Auto-ignition temperature	: not determined
Thermal decomposition	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Heat of combustion	: 3.19 kJ/g

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Teactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.



Version 3.0	Revision Date 12/12/2017	Print Date 03/27/2022
	Extremes of temperature and direct	sunlight.
Incompatible materials	: Oxidizing agents	
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide	

## SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effe	cts
Aggravated Medical Condition	: None known.
Symptoms of Overexp	osure : Effects may be delayed, symptoms may include minor eye or skin irritation.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	Confirmed animal carcinogen with unknown relevance to humans
OSHA	ethanol 64-17-5 No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Components:	
ethanol: Acute oral toxicity	: LD50 Oral Rat: 7,060 mg/kg
Acute inhalation tox	icity : LC50 Rat: 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Skin corrosion/irritation	
No data available	
Serious eye damage/eye	irritation
No data available	
Respiratory or skin sensi	tisation
No data available	
Germ cell mutagenicity	



Version 3.0	Revision Date 12/12/2017	Print Date 03/27/2022	
No data available			
Carcinogenicity			
No data available			
Reproductive toxicity			
No data available			
STOT - single exposure			
No data available			
STOT - repeated exposure			
No data available			
Aspiration toxicity			
No data available			
Further information			
Product:			
Remarks: No data available			
Remarks: No data available			

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

## Persistence and degradability

No data available Bioaccumulative potential

## Product:

Partition coefficient: n- octanol/water	: Remarks: No data available
<u>Components:</u>	
butane :	
Partition coefficient: n-	: Pow: 2.89
octanol/water	
ethanol :	
Partition coefficient: n-	: Remarks: No data available
octanol/water	
bility in soil	

#### Mobility in soil

No data available

### Other adverse effects

No data available



Version 3.0	Revision Date 12/12/2017	Print Date 03/27/2022
Product:		
Regulation	40 CFR Protection of Environm Stratospheric Ozone - CAA Sec Substances	
Remarks	This product neither contains, n with a Class I or Class II ODS a Clean Air Act Section 602 (40 0 + B).	is defined by the U.S.
Additional ecological information	: No data available	
	No data available	

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>Do not dispose of waste into sewer.</li> <li>Do not contaminate ponds, waterways or ditches with chemical or used container.</li> <li>Dispose of in accordance with local regulations.</li> </ul>
Contaminated packaging	<ul> <li>Empty remaining contents.</li> <li>Dispose of as unused product.</li> <li>Do not re-use empty containers.</li> <li>Do not burn, or use a cutting torch on, the empty drum.</li> </ul>

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.2, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, - Limited quantity

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.



Version 3.0	Revision Date 12/12/2017	Print Date 03/27/2022

### SECTION 15. REGULATORY INFORMATION

**TSCA list** : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

#### **CERCLA** Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
ammonia, aqueous solution	1336-21-6	1000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Gases under pressure	
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.	
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop. 65		
Â	WARNING: This product can expose you to chemicals including 2,2'-iminodiethanol, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.	

#### The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

#### Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)




		-	-
Versi	ion	3	0

Revision Date 12/12/2017

Print Date 03/27/2022

## SECTION 16. OTHER INFORMATION



#### **OSHA - GHS Label Information:**



Contains gas under pressure; may explode if heated.

**Storage**: Protect from sunlight. Store in a w ell-ventilated place.

Version:	3.0
Revision Date:	12/12/2017
Print Date:	03/27/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical<sup>™</sup>, Selig<sup>™</sup>, Misty®, Next Dimension<sup>™</sup>, Petro®, i-Chem®, TimeMist®, TimeWick<sup>™</sup>, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National<sup>™</sup>, FC Forward Chemicals®,Rexodan®, Mykal<sup>™</sup>, and a number of private labeled brands.