

Version 1.1	Revision Date: 02/10/2015		DS Number: 26-00002	Date of last issue: 12/15/2014 Date of first issue: 12/15/2014
SECTION	1. IDENTIFICATION			
Produ	uct name	: (GOJO® Cherry G	el Pumice Hand Cleaner
Manu	afacturer or supplier's	detail	S	
	pany name of supplier		GOJO Industries,	Inc.
Addre	ess		One GOJO Plaza Akron OH 44311	, Suite 500
Telep	bhone	:	1 (330) 255-6000	
Emer	gency telephone	:	1-800-424-9300	CHEMTREC
Reco	mmended use of the o	chemi	cal and restriction	ons on use
Reco	mmended use	:	Skin-care	
Restr	ictions on use		consumers and o foreseeable use. specifically define exempt from the r While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and of ntended-use guid	care or cosmetic product that is safe for ther users under normal and reasonably Cosmetics and consumer products, d by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large hould be retained and available for ther users of this product. For specific lance, please refer to the information ackage or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Flammable liquids	: Category 4
Serious eye damage	: Category 1
GHS Label element Hazard pictograms	
Signal Word	: Danger
Hazard Statements	: H227 Combustible liquid. H318 Causes serious eye damage.



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 36926-00002	Date of last issue: 12/15/2014 Date of first issue: 12/15/2014
Preca	utionary Statements	No smoking. P280 Wear pro Response: P305 + P351 + water for severa and easy to do. CENTER or do Storage: P403 + P235 S Disposal:	ay from heat/sparks/open flames/hot surfaces tective gloves/ eye protection/ face protection. P338 + P310 IF IN EYES: Rinse cautiously with al minutes. Remove contact lenses, if present Continue rinsing. Immediately call a POISON ctor/ physician. tore in a well-ventilated place. Keep cool. of contents/ container to an approved waste
Other	^r hazards		

Repeated exposure may cause skin dryness or cracking. Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
Distillates (petroleum), hydrotreated light	64742-47-8	>= 20 - < 30
Ethoxylated branched C11-14, C13-rich alcohols	78330-21-9	>= 5 - < 10

SECTION 4. FIRST AID MEASURES

General advice	 In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice. 	
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately. 	
If swallowed	 If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water. 	
Most important symptoms and effects, both acute and	: Prolonged or repeated contact may dry skin and cause irritation.	



Version 1.1	Revision Date: 02/10/2015		SDS Number: 926-00002	Date of last issue: 12/15/2014 Date of first issue: 12/15/2014
delay	/ed		Causes serious	eye damage.
Prote	ection of first-aiders	:	and use the rec	nders should pay attention to self-protection, commended personal protective equipment tial for exposure exists.
Note	s to physician	:	Treat symptom	atically and supportively.
SECTION	5. FIRE-FIGHTING ME	ASL	IRES	
Suita	ble extinguishing media	:	Water spray Alcohol-resistar Dry chemical Carbon dioxide	
Unsu medi	iitable extinguishing a	:	High volume wa	ater jet
Spec fighti	ific hazards during fire ng	:	fire. Flash back pos Vapors may for	blid water stream as it may scatter and spread sible over considerable distance. m explosive mixtures with air. mbustion products may be a hazard to health.
Haza ucts	ardous combustion prod-	:	Carbon oxides	
Spec meth	ific extinguishing ods	:	circumstances Use water spra	ng measures that are appropriate to local and the surrounding environment. y to cool unopened containers. naged containers from fire area if it is safe to c
	ial protective equipment e-fighters	:		ire, wear self-contained breathing apparatus. rotective equipment.

Personal precautions, protective equipment and emergency procedures	Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.	9
Environmental precautions	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by contain barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spi cannot be contained.	
Methods and materials for	Non-sparking tools should be used.	



Version	Revision Date:	MSDS Number:	Date of last issue: 12/15/2014
1.1	02/10/2015	36926-00002	Date of first issue: 12/15/2014
contai	nment and cleaning up	Suppress (knock jet. For large spills, p containment to ke can be pumped, container. Clean up remain absorbent. Local or national disposal of this m employed in the determine which Sections 13 and	rt absorbent material. down) gases/vapors/mists with a water spray provide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ing materials from spill with suitable regulations may apply to releases and naterial, as well as those materials and items cleanup of releases. You will need to regulations are applicable. 15 of this SDS provide information regarding ational requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	 Do not get on skin or clothing. Avoid inhalation of vapor or mist. Do not swallow. Do not get in eyes. Handle in accordance with good industrial hygiene and safety practice. Keep container tightly closed. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	 Keep in properly labeled containers. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents Explosives Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

	Ingredients	CAS-No.	Value type	Control	Basis
--	-------------	---------	------------	---------	-------



rsion		ISDS Number: 6926-00002		st issue: 12/15/2014 st issue: 12/15/2014	
			1	1	
			(Form of exposure)	parameters / Permissible concentration	
	ates (petroleum), ptreated light	64742-47-8	TWA (Mist)	5 mg/m3	OSHA Z-1
nyare			TWA (Mist)	5 mg/m3	NIOSH RE
			ST (Mist)	10 mg/m3	NIOSH RE
Haza	rdous components witho	out workplace c	ontrol parame	ters	
Ingre	dients	CAS-No.	1		
	vylated branched C11-14, rich alcohols	78330-21-9			
		ventilation. Dust formatio product. In ac limitations of workplaces h assessment. Particulates N dust, 5 mg/m Particles (inse	n may be releva Idition to substa concentrations ave to be consid Relevant limits Not Otherwise R 3 - respirable fra pluble or poorly 8 mg/m3 - respir	d with explosion pro- ant in the processing ince-specific OELs, of particulates in the dered in workplace in include: OSHA PEL egulated of 15 mg/r action; and ACGIH soluble) Not Otherv rable particles, 10 m	g of this general a air at risk for m3 - total TWA for vise
	onal protective equipmen				
Resp	iratory protection	maintain vapo concentration unknown, app Follow OSHA use NIOSH/M by air purifyin hazardous ch supplied resp release, expo	or exposures be s are above reconserved propriate respirator respirator regularity ISHA approved g respirators ago emical is limited irator if there is usure levels are where air purify	entilation is recommended elow recommended commended limits o atory protection shou lations (29 CFR 197 respirators. Protect gainst exposure to a d. Use a positive pre any potential for un unknown, or any oth ying respirators may	limits. Where r are uld be worn. 10.134) and ion provided ny essure air controlled her
	protection terial	: Impervious gl	oves		
Ma	iterial	: Flame retarda	ant gloves		
Re	marks	on the conce time is not de For special a resistance to gloves with th	ntration specific termined for the oplications, we chemicals of th	nds against chemica to place of work. Bi product. Change g recommend clarifyin e aforementioned pl acturer. Wash hands	reakthrough loves often! og the rotective



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 36926-00002	Date of last issue: 12/15/2014 Date of first issue: 12/15/2014	
Eye protection		: Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear: Face-shield		
Skin and body protection		 Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: Flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc). 		
Hygiene measures		located close to When using do	e flushing systems and safety showers are o the working place. o not eat, drink or smoke. nated clothing before re-use.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	gel
Color	:	red, translucent
Odor	:	fruity
Odor Threshold	:	No data available
рН	:	6.5 - 8.0
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	93 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	1 g/cm3

Solubility(ies)



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 36926-00002	Date of last issue: 12/15/2014 Date of first issue: 12/15/2014
Water solubility		: soluble	
Partition coefficient: n- octanol/water		: Not applicable	
Autoi	gnition temperature	: No data availa	able
Decomposition temperature		: The substanc	e or mixture is not classified self-reactive.
Viscosity Viscosity, kinematic		: 5,000 - 75,000	0 mm2/s (20 °C)
Explosive properties		: Not explosive	
Oxidizing properties		: The substanc	e or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Combustible liquid. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Inha Skir Inge	Information on likely routes of exposure Inhalation Skin contact Ingestion Eye contact					
Acu	ite toxicity					
Not	classified based on availab	ole	information.			
Pro	duct:					
Acu	te oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method			
Ingi	redients:					
	tillates (petroleum), hydro te oral toxicity		eated light: LD50 (Rat): > 5,000 mg/kg			
Acu	te inhalation toxicity	:	LC50 (Rat): > 5.3 mg/l			



Version 1.1	Revision Date: 02/10/2015	MSDS Number: 36926-00002	Date of last issue: 12/15/2014 Date of first issue: 12/15/2014	
		inhalation toxicit	e: dust/mist le substance or mixture has no acute	
Acute	e dermal toxicity	: LD50 (Rabbit): > Assessment: Th toxicity	> 3,160 mg/kg le substance or mixture has no acute dermal	
	xylated branched C1 e oral toxicity	1-14, C13-rich alcohol : Acute toxicity es Method: Expert	stimate: 500 mg/kg	
-	corrosion/irritation lassified based on ava	ilable information.		
Prod				
Resu	It: No skin irritation			
Distil Asses		osure may cause skin o		
Speci Resu	xylated branched C1 ies: Rabbit lt: No skin irritation arks: Based on data fro	1-14, C13-rich alcohol	s:	
	ous eye damage/eye i es serious eye damag			
Distil Speci	<u>dients:</u> Iates (petroleum), hy ies: Rabbit It: No eye irritation	drotreated light:		
Resu	xylated branched C1 It: Irreversible effects of arks: Based on data fro		s:	
Skin s	Respiratory or skin sensitization Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.			
	Product:			
Asses	ssment: Does not caus	se skin sensitization.		
Distil Test	<u>dients:</u> lates (petroleum), hy Type: Maximization Te es of exposure: Skin c	est (GPMT)		



ersion 1	Revision Date: 02/10/2015	MSDS Number: 36926-00002	Date of last issue: 12/15/2014 Date of first issue: 12/15/2014
Result	es: Guinea pig : negative rks: Based on data from	similar materials	
Test T Routes Result	ylated branched C11-1 ype: Human repeat insu s of exposure: Skin cont : negative rks: Based on data from	lt patch test (HRIPT act	
	cell mutagenicity assified based on availa	ble information.	
Ingred	lients:		
Distill	ates (petroleum), hydro oxicity in vitro		terial reverse mutation assay (AMES) e
Genot	oxicity in vivo	Species: Rat Application Rou Result: negative	omosomal aberration Ite: Intraperitoneal injection e d on data from similar materials
	nogenicity		
INOT CIA	assified based on availa	No ingredient of th	is product present at levels greater than or lentified as probable, possible or confirmed by IARC.
OSHA	N		is product present at levels greater than or lentified as a carcinogen or potential carcino-
NTP			is product present at levels greater than or lentified as a known or anticipated carcinogen
•	ductive toxicity assified based on availal	hle information	
Ingred Distill	<u>ilents:</u> ates (petroleum), hydro	otreated light.	
	s on fertility	: Test Type: One Species: Rat Application Rou Result: negative	
Effects	s on fetal development	: Test Type: Emb Species: Rat Application Rou Result: negative	



Version	Revision Date:	MSDS Number:
1.1	02/10/2015	36926-00002

Date of last issue: 12/15/2014 Date of first issue: 12/15/2014

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Distillates (petroleum), hydrotreated light: Species: Rat NOAEL: > 10.4 mg/l Application Route: inhalation (vapor) Exposure time: 90 d Remarks: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Ingredients:

Distillates (petroleum), hydrotreated light:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:					
Distillates (petroleum), hydro	otre	eated light:			
Toxicity to fish	:	LL50 (Danio rerio (zebra fish)): > 250 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203			
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Acartia tonsa): > 3,193 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction			
Toxicity to algae	:	EL50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction			
		NOELR (Skeletonema costatum (marine diatom)): 993 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction			
Toxicity to daphnia and other	:	NOELR (Ceriodaphnia dubia (water flea)): > 70 mg/l			



ersion 1	Revision Date: 02/10/2015		DS Number: 926-00002	Date of last issue: 12/15/2014 Date of first issue: 12/15/2014
	ic invertebrates nic toxicity)		Exposure time: Test substance	8 d : Water Accommodated Fraction
Toxici	ty to bacteria	:	EC50: > 100 m Exposure time:	
	cylated branched C11- ity to fish		LC50 (Oncorhy Exposure time:	nchus mykiss (rainbow trout)): 5.6 mg/l
	ty to daphnia and other ic invertebrates	:	Exposure time:	magna (Water flea)): > 1 - 10 mg/l 48 h d on data from similar materials
Toxici	ty to algae	:	EC50: > 1 - 10 Exposure time: Remarks: Base	
Toxici toxicit	ity to fish (Chronic y)	:	Exposure time:	s macrochirus (Bluegill sunfish)): > 0.33 mg/l 30 d d on data from similar materials
aquati	ity to daphnia and other ic invertebrates nic toxicity)	:	Exposure time:	a magna (Water flea)): 0.77 mg/l 21 d d on data from similar materials
Persis	stence and degradabil	ity		
Distill	<u>dients:</u> lates (petroleum), hydr gradability		Result: Readily Biodegradation Exposure time:	: 82 %
	ylated branched C11- gradability		Result: Readily Biodegradation Exposure time: Method: OECD	biodegradable. : 95 %
	cumulative potential ta available			
	ity in soil ıta available			
Other	adverse effects ta available			



Version	Revision Date:	MSDS Number:	Date of last issue: 12/15/2014	
1.1	02/10/2015	36926-00002	Date of first issue: 12/15/2014	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	:	NA 1993
Proper shipping name	:	COMBUSTIBLE LIQUID, N.O.S. (Fragrance - Cherry Bomb)
Class	:	ĊBL
Packing group	:	III
Labels	:	None
ERG Code	:	128
Marine pollutant	:	no
Remarks	:	Above applies only to containers over 119 gallons or 450 liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters).

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.




/ersion .1	Revision Date: 02/10/2015	MSDS Num 36926-0000		of last issue: 12/15/2 of first issue: 12/15/2	-	
SARA 304 Extremely Hazardous Substances Reportable Quantity This material does not contain any components with a section 304 EHS RQ.						
SARA	A 311/312 Hazards	: Fire Ha Acute H	zard lealth Hazard			
SARA	A 302			erial are subject to th itle III, Section 302.	ne reporting	
SAR	A 313	known (CAS numbers tha	ontain any chemical It exceed the thresho ed by SARA Title III	old (De Minimis)	
US SI	ate Regulations					
	Oleic acid Ethoxylated alcohols Pumice 2-Phenoxye Sodium hyd Jersey Right To Know Water Distillates (p	etroleum), hy branched C1 thanol roxide	drotreated light 1-14, C13-rich drotreated light	7732-18-5 64742-47-8 112-80-1 78330-21-9 1332-09-8 122-99-6 1310-73-2 7732-18-5 64742-47-8 112 80 1	30 - 50 % 20 - 30 % 10 - 20 % 5 - 10 % 0.1 - 1 % 0.1 - 1 % 30 - 50 % 20 - 30 %	
	Oleic acid Ethoxylated alcohols Pumice	branched C1	1-14, C13-rich	112-80-1 78330-21-9 1332-09-8	10 - 20 % 5 - 10 % 5 - 10 %	
Califo	ornia Prop 65	State of		ntain any chemicals se cancer, birth, or a		
The ingredients of this product are reported in the following inventories:AICS: All ingredients listed or exempt.						

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)





Further information





HMIS III:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Full text of other abbreviations

NIOSH REL OSHA Z-1		USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average
Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/
Revision Date	:	02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8